

# BUCCINUM TUBEROSUM.



## CHARACTER GENERICUS.

*Animal* Limax.

*Testa* univalvis, spiralis, gibbosa.

*Apertura* ovata, desinens in canaliculum (s. retusam lacunam) dextrum, cauda retusum.

*Labium* interius explanatum.

*Lin. Syst. Nat.* p. 1196.

## CHARACTER SPECIFICUS, &c.

BUCCINUM testa cingulis duobus tuberculosi,  
cauda recurva.

*Lin. Syst. Nat.* p. 1198.

*Gualt. test.* t. 41. f. A.

*Seb. mus.* 3. t. 73. f. 5—15.

*Knorr. Vergn.* 3. t. 10. f. 1. 2.

---

In Oceano Americano præcipue innascitur Buccinum tuberosum, magnitudine et coloribus varians, et interdum fere in pedalem crescens longitudinem.







## TUBEROUS BUCCINUM.



### GENERIC CHARACTER.

*Animal* allied to a Slug.

*Shell* univalve, spiral, gibbous.

*Aperture* ovate, ending in a channel pointing towards the right.

*Interior Lip* expanded.

### SPECIFIC CHARACTER, &c.

Pale BUCCINUM with rufous and dusky variations, two rows of tubercles, and recurved tip.

Knobbed BUCCINUM,

---

The shell here represented is a native of the American seas, and varies greatly both in size and colors, sometimes measuring almost twelve inches in length.